		•	UTAH OIL AND G	AS CONSERVATION (COMMISSIO	N		
REMARKS:	WELL LOG	ELECTRIC LOGS	FILE X WATE	R SANDS LOCA	TION INSPECTE	OIL WELL	SUB. REPORT.	/abd.
This	400	Incation 1	vas neus				Bano	5-6-82
1,000	V.				, , ,			
			•					
-								
DATE FILED	6-26-81							
LAND: FEE & PA	ATENTED	STATE LEASE NO.		PUBLIC LEASE NO.	U-29320	6	INDIAN	 [
DRILLING APPR	OVED:	6-26-81 6-29-	8/					
SPUDDED IN:	-							
COMPLETED:		PUT TO PRODUC	cing:					
INITIAL PRODU	CTION:		·					Market Control of the
GRAVITY A.P.I.								
GOR:								
PRODUCING ZO	ONES:							
TOTAL DEPTH:								
WELL ELEVATION	ON:					,		
DATE ABANDON	NED: 5-0	5-82 LOC	ATION	HBAUDOL	ED	(NELL)	UEVER	DRILLEN
FIELD:	WILDCAT	3/86 Unde	langual					
UNIT:			0					
COUNTY:	SAN JUAN							
WELL NO.		RE POCKET #4		API N	0. 43-0	037-30688		
LOCATION	2010 '	FT. FROM 🙀) (S) LINE,	1980'	FT. FROM (E) 🙀		NW SE		/4 SEC. 11

RGE.

SEC.

OPERATOR

TWP.

40\$

RGE.

22E

SEC.

11

OPERATOR

DAVIS QIL COMPANY



NEW ORLEANS HOUSTON TULSA





Mr. Carl Barrick U.S.G.S. 701 Camino Del Rio Durango, CO 81301

> RE: #4 Recapture Pocket Federal NW SE Sec. 11, T40S, R22E San Juan County, Utah

Dear Mr. Barrick:

Enclosed please find for your approval, an original and three copies of the Application for Permit to Drill, together with four copies of the Staking Plat covering the drilling of the captioned proposed test. Designation of Operator from Anderson and Chorney Oil will be forthcoming.* By carbon copy of this letter to Utah State Oil & Gas Commission, we are furnishing them with a copy of our application and staking plat.

Your early attention to the approval of said application will be appreciated.

Very truly yours,

Michelle Fisher

Executive Secretary

MAY 1 8 1981

Enclosures

/mf

Utah State Oil & Gas Commission

DIVISION OF OIL, GAS & MINING

*Ray Chorney & Don Anderson

Form 9-331 C (May 1963)

SUBMIT IN TRIP

(Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1425.

UNITED STATES DEPARTMENT OF THE INTERIOR

5. LEARE DESIGNATION AND SERIAL NO. U-29326 GEOLOGICAL SURVEY 6. IF INDIAN, ALLOTTEE OR TRIBE NAME APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK 7. UNIT AGREEMENT NAME 1a. TYPE OF WORK PLUG BACK DEEPEN DRILL XX b. TYPE OF WELL MULTIPLE ZONE S. FARM OR LEASE NAME SINGLE ZONK MELT XX WELL OTHER Recapture Pocket 2. NAME OF OPERATOR 9. WELL NO. DAVIS OIL COMPANY #4 3. ADDRESS OF OPERATOR 10. FIELD AND POOL, OR WILDCAT 410 17th Street, Suite 1400, Denver, Colorado 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) Development. 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA NW SE Sec. 11, T40S, R22E Sec. 11, T40S, R22E At proposed prod. zone 2010 FSL, 1980 FEL 12. COUNTY OR PARISH | 13. STATE 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* San Juan Utah 20 miles south of Blanding, Utah NO. OF ACRES ASSIGNED TO THIS WELL 16. NO. OF ACRES IN LEASE 15. DISTANCE FROM PROPOSED*
LOCATION TO NEAREST
PROPERTY OR LEASE L. JE, FT (Also to nearest drig, unit line, if any) 660 North 20. ROTARY OR CABLE TOOLS 19. PROPOSED DEPTH 18. DISTANCE FROM PROPOSED LOCATION*
TO NUMEST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT. 5700' NONE Rotary 22. APPROX. DATE WORK "TILL START" .21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4530 GR Est., 4540 KB Est. Upon approval PROPOSED CASING AND CEMENTING PROGRAM 23. QUANTITY OF CEMENT SETTING DEPTH WEIGHT PER FOOT SIZE OF CASING SIZE OF HOLE 0-1500 l 1050 sxs. est. 36# K-55 STC (NEW) 12 1/4" 9.5/8" 0-5700' 250 sxs. est. 8 3/4" 15.5# K-55 STC(NEW)

(SEE TEN POINT PROGRAM)

APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING

DATE: 6-26-81

TITLE Fd Iafaye This space for Federal or State office use) APPROVAL DATE APPROVAL DATE	7 4 0 0 0 V	Chief Geologist	DATE 4/22/81
APPROVAL DATE	Fd Lafave		
	(IT NO	APPROVAL DATE	

COMPANY_	DAVIS OIL COMPANY	_
LEASE	RECAPTURE POCKET - FEDERAL WELL 4	
SECTION _	11 T. 40 S.R. 22 E., S.L.B.&M.	_
LOCATION	2010 feet from the south line	
	1980 feet from the east line	
EL EVATIO	4530 (Ungraded)	

USGS Datum Utah San Juan County 1980'

> The undersigned, KROEGER ENGINEERING COMPANY, hereby certifies that the above plat was prepared from field notes of actual surveys made by them, and that the same are true and correct to the best of their knowledge and belief.

April 30, 1981 DATE: _ KROEGER ENGINEERING COMPANY John A. Kroeger, President Utah Reg. No. 1648

Scale: 1" = 1000'

TEN POINT PROGRAM

1) SURFACE FORMATION: Morrison

2 & 3) ESTIMATED TOPS: (Water, Oil, Gas or Mineral bearing formations)

Morrison	surface	shale
Ismay	5323'	oil bearing lms
Potential Pay	5440	porous lms
Gothic shale	5481'	black shale
Desert Creek	5520	oil and gas bearing lms
Potential pay	5612'	porous dolomite
Akah	5666'	anhydrite and tight dolomite
Total Depth	5700 '	

4) CASING PROGRAM:

12 1/4", 9 5/8" 36# K-55 STC(NEW) 0-1500' 1050 sxs. est. 8 3/4", 5 1/2" 15.5# K-55 STC(NEW) 0-5700' 250 sxs. est.

5) PRESSURE CONTROL EQUIPMENT: (See attached schematic diagram) BOP's and choke manifold will be installed and pressure tested before drilling out under surface casing and then will be checked daily as to mechanical operating condition. Ram type preventors and related pressure control equipment will be pressure tested to rated working pressure of the stack assembly or to 70% of the minimum internal yield pressure of the casing. Annular type preventors will be tested to 50% of their rtaed working pressure. BOP's will be pressure tested at least once every 30 days.

6) MUD PROGRAM:

0-1500' spud mud 1500-2500' water

2500-5700' fresh water-gel 9.0 to 9.5 ppg based on offset of wells.

35 vis., 10 cc W.L., PH 9-9.5. Sufficient mud materials to maintain mud properties, control lost circulation and to contain blowout will be available at wellsite.

7) AUXILLIARY EQUIPMENT:

1) Kelly Cock.

2) Drill Pipe Float (Except for lost circulation drilling conditions)

3) Monitoring of Mud System will be visual unless otherwise specified.

A) A sub on the floor with a full opening valve to be stabbed into drill pipe when Kelly is not in the string.

8) LOGGING:

GR-SP-DIL; Dipmeter; - BHC-Sonic from base of surface casing to total depth. CNL-FDC - from 4000' to total depth.

CORING:

none planned.

TEN POINT PROGRAM PAGE TWO

8) Continued -

TESTING:

- 1 DST Ismay
- 1 DST Desert Creek

STIMULATION:

Desert Creek Formation - 5000 gallons of retarded 20% HCL.


Actual volume of treatment will be dependent upon thickness of pay and evaluation of zone of interest.

9) ABNORMAL PRESSURE: This firm does not anticipate any abnormal pressure of temperatures or any other hazards. This is based on previous geological data from nearby wells.

ESTIMATED BOTTOMHOLE PRESSURE: 2600 PSI.

10) ANTICIPATED STARTING DATE: Within 30 - 45 days from Government approval.

DURATION OF OPERATION: 30-60 Days.



DAVIS OIL COMPANY

CACTUS DRILLING RIG NO. 5 & 19

BLOW-OUT PREVENTION SYSTEM

12" 900 SERIES SHAFFER TYPE 48

SUBMIT IN (Other instru

Form approved. Budget Bureau No. 42-R1425.

reverse side)

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY					5. LEARE DESIGNATION AND SERIAL NO U-29326 6. IF INDIAN, ALLOTTEE OF TRIBE NAME			
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK						6. IF INDIAN, ALLOTTE	E OR TRIBE NAME	
	ILL 🔯	DEEPEN []	PLU	G BACK		7. UNIT AGREEMENT N	AME
b. TIPE OF WELL OIL XX GAS WELL OTHER ZONE XX ZONE					8. FARM OR LEASE NA Recapture Po			
2. NAME OF OPERATOR DAVIS OIL C	OMPANY						9. WELL NO. #4	
3. ADDRESS OF OPERATOR 410 17th St	reet, Suite 1400), Denver, (<u> Dolor</u>	ado 80202	2		10. FIRLD AND POOL, of Developmen	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) At surface NW SE Sec. 11, T40S, R22E At proposed prod. zone					11. SEC., T., B., M., OR BLK. AND SURVEY OR AREA Sec. 11, T40S, R22E			
2010 FSL, 1980 FEL 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 20 miles south of Blanding, Utah					12. county or parish San Juan	Utah		
15. DISTANCE FROM PROF LOCATION TO NEAKES PROPERTY OR LEASE. (Also to Dearest dri	USED*	North	16. NO	O. OF ACRES IN L	EASE		F ACRES ASSIGNED HIS WELL	an error sauces and a real error error.
18. DISTANCE FROM PROPOSED LOCATION* TO NUMBER WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 19. PROPOSED DEPTH 5700*					20. ROTARY OR CABLE TOOLS ROTARY			
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4530 GR Est., 4540 KB Est.					Upon approva	_		
23.	. 1	PROPOSED CASIN	G ANI	CEMENTING	PROGRAM			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO	от	SETTING DE	PTH		QUANTITY OF CEME	NT
12 1/4"	9 5/8"	36 ∦ K−55		STC(NEW)		0-150	01 1050 sxs. e	st.
8 3/4"	5 1/2"	15.5# K-55				90' 250 sxs. est.		

(SEE TEN POINT PROGRAM)

U. S. GEGLOGICAL STRVEY DUMANGO, COLO.

IN ABOVE SPACE zone. If propos	DESCRIBE PROPOSED PROGRAM: If proposal is to deepen sal is to drill or deepen directionally, give pertinent d	or plug back, give data en presen ata on subsurface locations and m	easured and true vertical depths. Give blowest
preventer progra	am, if any.		
24.	Egglolans	Chief Geologist	4/22/81

(This space for Federal or State office use)

APPROVED FOR A PERIOD NOT TO EXCEED I YEAR.

OPERATOR'S COPY

"APPROVAL TO FLARE GRANTED WHILE DRILLING AND TESTING."

UTAH DIVISION of OIL, GAS & MINING 1588 W. NORTH TEMPLE SALT LAKE CITY, UT. 84116

COMPANY_	DAVIS OIL CONFANI		
LEASE	RECAPTURE POCKET - FEDERAL	WELL Na	4
SECTION _	11 T. 40 S.R. 22 E., S.L.B.	&M.	1-24-8- 8 -

ELEVATION 4530 (Ungraded)

LOCATION _

2010 feet from the south line

1980 feet from the east line

USGS Datum Utah San Juan County 1980'

<u>Scale: 1" = 1000"</u>

The undersigned, KROEGER ENGINEERING COMPANY, hereby certifies that the above plat was prepared from field notes of actual surveys made by them, and that the same are true and correct to the best of their knowledge and belief.

DATE: April 30, 1981

KROEGER ENGINEERING COMPANYOUL, AND A MINING

John A. Kroeger, President

Utah Reg. No. 1648

** FILE NOTATIONS **

DATE: 12, 1981
OPERATOR: Davis dil co.
WELL NO: Pecaptine Cockets #4
Location: Sec. 11 T. 405 R. 228 County: San Quan
File Prepared: [1] Entered on N.I.D:
Card Indexed: Completion Sheet:
API Number 43-037-30688
CHECKED BY:
Petroleum Engineer: M.J. Minds 1-26-81
Director:
Administrative Aide: OK as per pule C-3, OR on bounding
APPROVAL LETTER:
Bond Required: / Survey Plat Required: /
Order No O.K. Rule C-3
Rule C-3(c), Topographic Exception - company owns or controls acreage within a 660' radius of proposed site
Lease Designation Feef. Plotted on Map
Approval Letter Written
Hot Line P.I.

June 29, 1981

Davis Oil Company 410 17th Street, Ste. #1400 Denver, Colo. 80202

RE: Well No. Recapture Pocket #4
Sec. 11, T. 90S, R. 22E,
San Juan County, Utah

Insofar as this office is concerned, approval to drill the above referred to oil is hereby granted in accordance with Rule C-3, General Rules and Regualtions and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to <u>immediately</u> notify the following:

MICHAEL T. MINDER - Petroleum Engineer Office: 533-5771 Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-037-30688.

Sincerely,

DIVISION OF OIL, GAS, AND MINING

Michael T. Minder Petroleum Engineer

MTM/db CC: USGS December 28, 1981

Davis Oil Company 410 17th Street Suite, 1400 Denver, Colorado 80202

> Re; Well No. Recapture Pocket #2 Sec. 2, T. 40S, R. 22E San Juan County, Utah

> > Well No. Recapture Pocket #5 Sec. 10, T. 40S, R. 22E San Juan County, UTah

> > Well No. Recapture Pocket #4 Sec.11, T. 40S, R. 22E San Juan County, UTah

Gentlemen:

In reference to the above mentioned wells, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill these wells, please notify this Division. If spudding or any other activity has taken place, please send necessary forms. If you plan to drill this location at a later date, please notify as such.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

Care Juse

Cari Furse Clerk Typist



Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

December 28, 1981

Davis Oil Company 410 17th Street Suite, 1400 Denver, Colorado 80202

> Re; Well No. Recapture Pocket #2 - Chrolli

Sec. 2, T. 40S, R. 22E

San Juan County, Utah

Well No. Recapture Pocket #5

Sec. 10, T. 40S, R. 22E San Juan County, Utah

Well No. Recapture Pocket #4

Sec.11, T. 40S, R. 22E

San Juan County, Utah

Gentlemen:

In reference to the above mentioned wells, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill these wells, please notify this Division. If spudding or any other activity has taken place, please send necessary forms. If you plan to drill this location at a later date, please notify as such.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL, GAS AND MINING

Cari Furse

Clerk Typist

DAVIS OIL COMPANY

10 - 17TH STREET, SUITE 1400 DEWVER, COLORADO 20202 TELEPHONE: 303-623-1000

NEW ORLEANS HOUSTON TULSA



January 14, 1982

State of Utah
Natural Resources & Energy
Oil, Gas & Mining
4241 State Office Bldg.
Salt Lake City, Utah 84114
Attn: Cari Furse

RE: #2 Recapture Pocket
SESW Sec. 2, T40S, R22ESan Juan County; Utah

Gentlemen:

Please be advised that the above captioned well is cancelled. Davis Oil Company will never drill this well.

Also the #5 Recapture Pocket was drilled. It is an oil well.

The #4 Recapture Pocket is on hold. We plan to drill this well but do not know when.

If you would please send me some sundry notices for the State of Utah I will file a sundry cancelling the #2 Recapture Pocket.

Very truly yours,

DAVIS OIL COMPANY

Michelle Hiller Executive Secretary

/mh





5. LEASE

Form Approved. Budget Bureau No. 42-R1424

UNITED STATES

DEPARTMENT OF THE INTERIOR	0-29326	
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE O	R TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or plug back to a different	7. UNIT AGREEMENT NAM	1E
reservoir. Use Form 9-331-C for such proposals.)	8. FARM OR LEASE NAME	
1. oil gas other	Recapture Pocket 9. WELL NO.	
2. NAME OF OPERATOR DAVIS OIL COMPANY	#4 10. FIELD OR WILDCAT NA	ME
3. ADDRESS OF OPERATOR 410 17th St., #1400, Denver, CO 80202	Development 11. SEC., T., R., M., OR BL	K. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA	
below.) NWSE Sec. 11, T40S, R22E		<u>r40s, R22E</u>
AT SURFACE:	12. COUNTY OR PARISH	
AT TOP PROD. INTERVAL: 1980' FSL & 1980' FEL AT TOTAL DEPTH:	San Juan	Utah
	14. API NO.	
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	43-037-30688	
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW I 4529' GR	JF, KUB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	4329 GK	
MULTIPLE COMPLETE		
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is demeasured and true vertical depths for all markers and zones pertined	Hechonally diffied, give subs	give pertinent dates, urface locations and
PLEASE BE ADVISED THAT DAVIS OIL COMPANY HAS DITHE ABOVE CAPTIONED WELL.	ECIDED NOT TO DRILL	
THERE WAS NO SURFACE DISTURBANCE DONE.		
	•	
Subsurface Safety Valve: Manu. and Type	Set (@ Ft.
18. I hereby certify that the foregoing is true and correct		
	st DATE 5/5/82	
SIGNED TO TO THE Chief Geologi	DATEDATE	
(This space for Federal or State o	ffice use)	

Oil and Gas Operations 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104-3884

May 21, 1982

Davis Oil Company 410-17th Street Suite 1400 Denver, Colorado 80202

Re: Rescind Applications for Permit

to Drill Well No. 4

Section 11-T40S-R22E San Juan County, Utah Lease No. U-29326

Well No. 6
Section 11-T40S-R22E
San Juan County, Utah
Lease No. U-47900

Gentlemen:

The Applications for Permit to Drill the referenced wells were approved June 5, 1981 and August 7, 1981 respectively. We are rescinding the approval of the referenced applications, without prejudice, per your Sundry Notices dated May 5, 1982.

If you intend to drill at these locations at a future date, new applications for permit to drill must be submitted.

If you have any questions, please feel free to contact this office.

Sincerely,

E. W. Guynn
District Oil & Gas Supervisor

bcc: SMA

State O&G State BLM
MMS-Vernal
Well File
APD Control

DH/dh